Deseret Chemical Depot Attachment 9 Security Plan

# **Security Plan**

# 1.0 Security

- 1.1 Security Procedures and Equipment [R315-3-2.5(b)(4)]
- 1.1.1 This section describes the procedures and equipment used to prevent the unknowing entry, and to minimize the possibility for unauthorized entry, of persons onto the Deseret Chemical Depot (DCD) installation and highly sensitive areas. Security methods include surveillance systems, barriers, an entry control system, and warning signs. Security procedures and equipment used at DCD are in accordance with Army Regulation 50-G-1 "Nuclear and Chemical Weapons and Material," Chemical Surety Program, Resource Conservation and Recovery Act (RCRA) and Utah Solid and Hazardous Waste Act (USHWA).

## 2.0 <u>24-hour Surveillance System</u> [R315-8-2.5(b)(1)]

- 2.1 DCD employs a uniformed civil service security guard force to provide surveillance of the facility and to restrict the entry of unwanted or unauthorized visitors. All patrols are motorized, equipped with communications equipment, and are assigned specific areas to patrol. Typical activities include but are not limited to:
  - 2.1.1 Checking for intrusion or security violations;
  - 2.1.2 Checking locks, fence lines, building security, and other areas within their patrol;
  - 2.1.3 Challenging all persons entering or exiting the areas who may act suspicious, who are not carrying proper identification, or who are without required escorts;
  - 2.1.4 Reporting all incidents to the Field Supervisor; and
  - 2.1.5 Performing specific duties outlined in the daily log for that patrol area.
- 2.2 General security provisions at Munitions Storage Area 10 hazardous waste management units are redundant of the DCD provisions.

## 3.0 <u>Barriers</u> [R315-8-2.5(b)(2)(i)]

- 3.1 DCD is entirely surrounded by a four-foot, multi-strand, barbwire fence with secured gates. Clear zones are maintained on either side of the fence where possible. Gates in the perimeter fence are controlled by security personnel. Proper personal and vehicle identification is required for entry and exit.
- 3.2 All permitted units are locked when not in use. Visitors entering permitted units must be escorted while inside the building.
- 3.3 Additional fencing and related security measures are maintained at Area 10.

### **4.0** Means to Control Entry [R315-8-2.5(b)(2)(ii)]

4.1 Access to DCD is via State Highway 198, connecting State Highway 73 to the DCD main (north) gate; and via State Highway 73 directly, connecting to Doolittle Road and the east gate (Figure 6-1). On the access road, signs are posted to notify visitors they are entering a military installation. The main entrance road takes personnel and visitors to a security gate. All visitors and unregistered vehicles are challenged at the gate. Visitor passes are required. Passes are obtained

- from the security personnel at the security gate before proceeding. All other gates within or around the perimeter of DCD are kept locked.
- 4.2 Container storage buildings are locked at all times except when personnel are working in the individual buildings. Entry is possible only through the normally locked doors. Only personnel trained in handling hazardous waste have access to building keys. Visitors are escorted at all times.
- 4.3 Means to control entry at Area 10 are equal to or exceed those applied to DCD as a whole. Igloos are secured at all times, except when personnel are working in an individual unit. The only door into each igloo is barricaded with a large, concrete, "King Tut" block to prevent unauthorized entry.

### 5.0 Warning Signs [R315-8-2.5(c)]

5.1 Warning signs are posted on the main access road informing all vehicle drivers that they are entering a military installation. Warning signs identifying DCD as a Department of Defense facility and listing the penalties for trespassing or unauthorized entry are posted every 1/10-mile on the perimeter fence line. Signs indicating that only entry of authorized personnel is permitted and entry into the area is potentially dangerous are located on the perimeter fence around Munitions Storage Area 10 and on all other permitted storage units.

## 6.0 <u>Waiver</u> [R315-8-2.5(a)]

No waivers of security procedures or equipment requirements will be requested by DCD under USHWA because the requirements will continue to be met. The Army reserves the right to change any security procedures or equipment in a manner that maintains RCRA compliance.